




Ward Health Profile

Clifton South Ward | 13,947 Ward Residents in 2011

Quick Statistics


- Clifton South has a total of **13,947** residents
- **6,762** are male (**48.5%**) and **7,185** are female (**51.5%**)
- There were **216** babies born in 2012
- The birth rate was **72** per 1,000 women (aged 11-44), higher than Nottingham City (53)
- **34.1%** of all adults in Clifton South smoke, significantly higher than the City average
- **53.3%** of all adults are estimated to be overweight/obese, higher than Nottingham City however not significantly so
- GCSE achievement within Clifton South is significantly worse than nationally
- There were **157** deaths of ward residents during 2012
- Life expectancy for males is **76.5 years** which is significantly worse than the national figure
- Life expectancy for females is **81.6 years** which is worse than the national figure but not significantly
- Clifton South is ranked as the **844th** most deprived out of England's 7,589 wards, and the **10th** most deprived in the City
- There are **2** GP practices within Clifton South, with an additional **1** in close proximity to its border
- There are **3** pharmacies within Clifton South

Ward Map




Clifton South is located at the very south of the Nottingham City boundary. Clifton Hall and Glapton Wood are both located within the ward boundary. The A453 runs directly through the centre of the ward connecting it to Clifton North ward.

Deprivation



- **Income deprivation** is the percentage of residents living in households reliant on means tested benefit
- **Child poverty** is the percentage of children (0-15) living in income deprived households
- **Older people in deprivation** is the percentage of residents aged 60+ living in pension credit households


Population



Clifton South has a higher percentage of older people (65+). These residents account for **19.0%** of the ward population. This is compared with **11.6%** for Nottingham City and **16.3%** nationally. It has a smaller percentage of working age residents (16-64) compared to the Nottingham City and national average.




Self Reported Health & Care



The ward has a much higher percentage of older people (aged 65+) compared to the City. These residents account for **19.0%** in the ward compared to **11.6%** in the City and **16.3%** nationally. Clifton South residents feel that they have poorer general health than that of the City and nationally. General health bad or very bad, is significantly higher than the national figure.

A significantly higher percentage of residents feel that they have a limiting long term illness or disability and provide higher levels of unpaid care compared to nationally.

Mosaic Groups



Mosaic groups are a way of segmenting the population into 15 groups based on their common characteristics.


The ward has a high percentage of group 'K' households, accounting for just under half of all households (**45.9%**). This group is described as "**Residents with sufficient incomes in right-to-buy social houses**". The key features of group 'K' are: council tenants, right to buy, comfortable lifestyles, few qualifications, hard workers, self reliant, little anti-social behaviour, value for money and catalogue mail order.

Group 'M' account for **18.0%** of households. Group 'M' is described as "**Elderly people reliant on state support**" with key features such as; older people, retired, public rented, nursing homes, grandchildren, bingo, familiar brands, post offices, TV and newspapers.

Nottingham Citizens' Surveys 2011-2013 Health Questions

The Nottingham Citizens' Survey gathers citizens' perceptions on a variety of subjects including health. Around 2,000 citizens take part in the survey each year. The chart below shows health results from the combined 2011-2013 surveys and how Clifton South compares with the rest of the City wards.

- Significantly lower than the City average
- Not significantly different from the City average
- Significantly higher than the City average



Indicator	Ward Value	City Ward Avg	City Lowest Ward	City Ward Range	City Highest Ward
1 Average mental wellbeing score of residents (WEMWEBS)	51.1	51.2	49.1		52.3
2 % of residents who smoke	34.1	27.5	8.4		36.5
3 % of residents who are binge drinkers	17.9	21.6	10.3		35.4
4 % of residents who are high/increased risk drinkers	9.7	11.7	3.2		16.8
5 % of residents who are underweight	4.1	3.7	1.3		5.7
6 % of residents who are overweight/obese	53.3	47.3	25.5		60.7
7 % of residents who are a healthy weight	42.6	48.9	36.2		71.4

Clifton South has a significantly higher percentage of residents who smoke. Whilst it does have a lower percentage of binge drinkers and drinkers at high/increased risk, the figure is not significantly different from the City average. The ward has a higher percentage of overweight/obese residents (though not significantly higher) and a significantly lower percentage of residents at a healthy weight.


Each ward indicator result is shown as a circle. The average value for Nottingham's wards are shown by the black line, which is always at the centre of the chart. If a circle is to the right of the black line then the ward's value is higher, if it is to the left of the black line the value is lower.

The range of results for all wards within Nottingham City are shown as a grey bar. A yellow circle means that the ward's value is significantly higher than the City's average, a purple circle indicates that their value is significantly lower. A white circle indicates that even though a value may be higher/lower than the City's average; it is not statistically significant so.

Public Health England, Local Health Indicators

This chart shows Clifton South's status compared to all of the wards in England, and the England average as the central black line. Of the 24 indicators, 17 are significantly worse than England's average. Deprivation, poverty, unemployment, education attainment and life expectancy for males are amongst some of those that are significantly worse than England.


- Significantly lower than the England average
- Significantly higher than the England average
- Not significantly different from the England average
- ◆ Nottingham City Value



Indicator	Ward Value	Eng. Ward Avg	Eng. Lowest Ward	England Ward Range	Eng. Highest Ward
1 Income Deprivation (%)	20.8	14.7	1.1		49.8
2 Child Poverty (%)	34.5	21.8	1.0		79.8
3 Unemployment (%)	5.8	3.8	0.3		16.7
4 Long Term Unemployment (Rate/1,000 working age population)	15.3	10.1	0.0		68.2
5 Overcrowding (%)	6.4	8.7	0.2		47.7
6 Provision of 50 hours or more unpaid care per week (%)	3.6	2.4	0.0		7.9
7 Pensioners living alone (%)	43.8	31.5	11.4		63.3
8 Older People in Deprivation (%)	24.6	18.1	2.1		82.1
9 Child Development at age 5 (%)	60.9	63.5	19.1		95.0
10 GCSE Achievement (5A*-C inc. Eng & Maths) (%)	37.8	58.8	21.0		100.0
11 Obese Children (Reception Year) (%)	12.4	9.4	2.1		23.6
12 Obese Children (Year 6) (%)	21.8	19.1	4.0		36.0
13 Low Birth Weight Births (%)	8.1	7.4	1.4		13.8
14 General Health - bad or very bad (%)	7.9	5.5	0.0		16.7
15 Limiting long term illness or disability (%)	23.8	17.6	2.2		41.5
16 Children's and young people's admissions for injury (Crude rate/100,000 aged 0-17)	1351.5	1180.9	412.7		2647.8
17 Emergency hospital admissions for all causes (SAR)	123.6	100.0	27.2		224.9
18 Incidence of all cancer (SIR)	123.8	100.0	47.8		146.6
19 Hospital stays for self harm (SAR)	154.9	100.0	12.3		464.3
20 Hospital stays for alcohol related harm (SAR)	120.1	100.0	37.2		296.2
21 Life expectancy at birth for males (years)	76.5	78.9	67.1		91.3
22 Life expectancy at birth for females (years)	81.6	82.8	73.9		98.4
23 Deaths from all causes, all ages (SMR)	114.0	100.0	19.9		279.2
24 Deaths from all causes, under 75 years (SMR)	131.2	100.0	0.0		286.1


Disease prevalence

As part of the performance management and payment system for GPs (called QoF), GPs keep a record of people with specific diseases such as diabetes, heart disease (CHD), respiratory disease (COPD) and depression. These registers are used to calculate recorded disease prevalence. The data below are taken from QoF 2012/2013. It is important to understand that these figures may be under estimates due to people not presenting to their GP, not being diagnosed or not being recorded.




Diabetes - Type 2 diabetes (the most common type) and obesity are clearly connected – being overweight or obese has been estimated to account for around 65% to 80% of new cases of Type 2 diabetes. The Citizens Survey findings indicate that Clifton South has a higher percentage of overweight and obese residents within Nottingham City and so would be expected to have a higher prevalence of diabetes. Diabetes is linked to many health complications such as heart disease, eye problems, kidney disease and problems with circulation so it is important that it is diagnosed early and managed.

1 of the practices within the Clifton South area has a significantly higher recorded prevalence than the England average; 'Clifton Medical Practice' **7.4%** prevalence.




CHD Indicator - Coronary heart disease (CHD) is caused by a build-up of fatty deposits on the walls of the arteries around the heart (coronary arteries). Risk is significantly increased if you smoke, have high blood pressure (hypertension), have a high blood cholesterol level, do not take regular exercise, have diabetes, or are overweight/obese.

3 of the practices within the Clifton South area have a significantly higher recorded prevalence than the England average; 'Rivergreen Medical Centre' **5.3%** prevalence, 'John Ryle Medical Practice' **5.0%** prevalence and 'Clifton Medical Practice' **4.8%** prevalence



COPD (respiratory disease) Indicator - COPD is the name for a collection of lung diseases including chronic bronchitis, emphysema and chronic obstructive airways disease. People with COPD have difficulties breathing, primarily due to the narrowing of their airways, this is called airflow obstruction. Smoking is the main cause of COPD. At least four out of five people who develop the disease are, or have been, smokers.

3 of the practices within the Clifton South area have a significantly higher recorded prevalence than the England average; 'Clifton Medical Practice' **2.9%** prevalence, 'Rivergreen Medical Centre' **2.1%** prevalence and 'John Ryle Medical Practice' **2.1%** prevalence.



Severe Mental Illness - The register includes all patients with a diagnosis of schizophrenia, bipolar affective disorder and other psychoses. Mental illness can result in high levels of disability, loss of quality of life for patients, their families and carers.

None of the practices within the Clifton South area have a significantly higher recorded prevalence than the England average.

Metadata and contact information

Contact | This ward profile has been prepared by Nottingham City Council's Public Health department which is part of the Early Intervention directorate. To contact the team please email: publichealth.analysts@nottinghamcity.gov.uk

Metadata | This ward profile uses a wide variety of data from numerous sources such as the 2011 Census, Nottingham City Council Citizen's Panel 2011-2013, Public Health England's Local Health Portal, Hospital Episode Statistics (HES) Data and Mosaic by Experian. A complete guide to all of the data and sources can be found here:

<http://www.nottinghaminsight.org.uk/f/96676/Library/Public-Health/>