



Ward Health Profile

Sherwood Ward | 15,414 Ward Residents in 2011

Quick Statistics


- Sherwood has a total of **15,414** residents
- **7,763** are male (**50.4%**) and **7,651** are female (**49.6%**)
- There were **206** babies born in 2012
- The birth rate was **55** per 1,000 women (aged 11-44), higher than Nottingham City (53)
- **29.4%** of all adults in Sherwood smoke, higher than the City average but not significantly so
- **44.4%** of all adults are estimated to be overweight/obese, lower than Nottingham City but not significantly so
- There were **131** deaths of ward residents during 2012
- Life expectancy for males is **77.1 years** which is significantly worse than the national figure
- Life expectancy for females is **82.2 years** which is worse than the national figure but not significantly so
- Sherwood is ranked as the **1,385th** most deprived out of England's 7,589 wards, and the **13th** most deprived in the City
- There are **3** GP practices within Sherwood, with an additional **4** in close proximity to its border
- There are **3** pharmacies within Sherwood

Ward Map




Sherwood is located toward the north east of Nottingham City. It lies in the Nottingham East parliamentary constituency. The wards of Bestwood, Basford, Berridge and Mapperley border Sherwood ward.

Deprivation



- **Income deprivation** is the percentage of residents living in households reliant on means tested benefit
- **Child poverty** is the percentage of children (0-15) living in income deprived households
- **Older people in deprivation** is the percentage of residents aged 60+ living in pension credit households


Population



Sherwood has a higher percentage of older people (65+) compared to the City. These residents account for **13.3%** of the ward population. This is compared with **11.6%** for Nottingham City. It therefore has a smaller percentage of children and working age residents compared to the Nottingham City average.




Self Reported Health & Care



The ward has a relatively higher percentage of older people (aged 65+) compared to the City. These residents account for **13.3%** in the ward compared to **11.6%** in the City. Sherwood residents feel that they have better general health than that of the City, however worse than nationally. General health bad or very bad, is significantly higher than the national figure.

A higher percentage of residents feel that they have a limiting long term illness compared to the City and nationally. A lower percentage of residents provide higher levels of unpaid care compared to the City and nationally.

Mosaic Groups




Mosaic groups are a way of segmenting the population into 15 groups based on their common characteristics.

The ward has a high percentage of group 'G' households, accounting for **28.0%** of all households. This group is described as **"Young, well-educated city dwellers"**. The key features of group 'G' are; young singles, students, degree level education, creative jobs, diversity, ethical products, internet searches, theatre/arts and cinema.

Group 'I' households account for **19.3%**. Group 'I' is described as **"Lower income workers in urban terraces in often diverse areas"** with key features such as; few qualifications, routine occupations, young singles and couples, some young children, ethnic diversity, small homes, crowded, below average income and sport.

Nottingham Citizens' Surveys 2011-2013 Health Questions

The Nottingham Citizens' Survey gathers citizens' perceptions on a variety of subjects including health. Around 2,000 citizens take part in the survey each year. The chart below shows health results from the combined 2011-2013 surveys and how Sherwood compares with the rest of the City wards.



Citizen Survey results indicate that Sherwood has more residents who smoke, and a lower percentage of residents who are overweight/obese however none of these figures are significantly different from that of the Nottingham City average. Similarly, results show that more residents binge drink, and those who drink are at a high/increased risk.

Each ward indicator result is shown as a circle. The average value for Nottingham's wards are shown by the black line, which is always at the centre of the chart. If a circle is to the right of the black line then the ward's value is higher, if it is to the left of the black line the value is lower.

The range of results for all wards within Nottingham City are shown as a grey bar. A yellow circle means that the ward's value is significantly higher than the City's average, a purple circle indicates that their value is significantly lower. A white circle indicates that even though a value may be higher/lower than the City's average; it is not statistically significantly so.

Public Health England, Local Health Indicators


This chart shows Sherwood's status compared to all of the wards in England, and the England average as the central black line. Of the 24 indicators, around half are significantly worse than England's average. Deprivation, poverty, unemployment and life expectancy for males are amongst some of those that are significantly worse than England.



Indicator	Ward Value	Eng. Ward Avg	Eng. Lowest Ward	England Ward Range	Eng. Highest Ward
1 Income Deprivation (%)	16.8	14.7	1.1	[Visual: Sherwood significantly higher than England average]	49.8
2 Child Poverty (%)	28.9	21.8	1.0	[Visual: Sherwood significantly higher than England average]	79.8
3 Unemployment (%)	5.3	3.8	0.3	[Visual: Sherwood significantly higher than England average]	16.7
4 Long Term Unemployment (Rate/1,000 working age population)	15.6	10.1	0.0	[Visual: Sherwood significantly higher than England average]	68.2
5 Overcrowding (%)	7.8	8.7	0.2	[Visual: Sherwood significantly lower than England average]	47.7
6 Provision of 50 hours or more unpaid care per week (%)	2.3	2.4	0.0	[Visual: Sherwood not significantly different from England average]	7.9
7 Pensioners living alone (%)	39.3	31.5	11.4	[Visual: Sherwood significantly higher than England average]	63.3
8 Older People in Deprivation (%)	22.8	18.1	2.1	[Visual: Sherwood significantly higher than England average]	82.1
9 Child Development at age 5 (%)	57.1	63.5	19.1	[Visual: Sherwood not significantly different from England average]	95.0
10 GCSE Achievement (5A*-C inc. Eng & Maths) (%)	58.8	58.8	21.0	[Visual: Sherwood not significantly different from England average]	100.0
11 Obese Children (Reception Year) (%)	9.5	9.4	2.1	[Visual: Sherwood not significantly different from England average]	23.6
12 Obese Children (Year 6) (%)	16.7	19.1	4.0	[Visual: Sherwood not significantly different from England average]	36.0
13 Low Birth Weight Births (%)	7.6	7.4	1.4	[Visual: Sherwood not significantly different from England average]	13.8
14 General Health - bad or very bad (%)	6.1	5.5	0.0	[Visual: Sherwood significantly higher than England average]	16.7
15 Limiting long term illness or disability (%)	19.4	17.6	2.2	[Visual: Sherwood significantly higher than England average]	41.5
16 Children's and young people's admissions for injury (Crude rate/100,000 aged 0-17)	1070.5	1180.9	412.7	[Visual: Sherwood not significantly different from England average]	2647.8
17 Emergency hospital admissions for all causes (SAR)	106.1	100.0	27.2	[Visual: Sherwood significantly higher than England average]	224.9
18 Incidence of all cancer (SIR)	106.4	100.0	47.8	[Visual: Sherwood not significantly different from England average]	146.6
19 Hospital stays for self harm (SAR)	137.9	100.0	12.3	[Visual: Sherwood significantly higher than England average]	464.3
20 Hospital stays for alcohol related harm (SAR)	106.3	100.0	37.2	[Visual: Sherwood significantly higher than England average]	296.2
21 Life expectancy at birth for males (years)	77.1	78.9	67.1	[Visual: Sherwood significantly lower than England average]	91.3
22 Life expectancy at birth for females (years)	82.2	82.8	73.9	[Visual: Sherwood not significantly different from England average]	98.4
23 Deaths from all causes, all ages (SMR)	107.1	100.0	19.9	[Visual: Sherwood significantly higher than England average]	279.2
24 Deaths from all causes, under 75 years (SMR)	121.7	100.0	0.0	[Visual: Sherwood significantly higher than England average]	286.1


Disease prevalence

As part of the performance management and payment system for GPs (called QoF), GPs keep a record of people with specific diseases such as diabetes, heart disease (CHD), respiratory disease (COPD) and depression. These registers are used to calculate recorded disease prevalence. The data below are taken from QoF 2012/2013. It is important to understand that these figures may be under estimates due to people not presenting to their GP, not being diagnosed or not being recorded.




Diabetes - Type 2 diabetes (the most common type) and obesity are clearly connected – being overweight or obese has been estimated to account for around 65% to 80% of new cases of Type 2 diabetes. Diabetes is linked to many health complications such as heart disease, eye problems, kidney disease and problems with circulation so it is important that it is diagnosed early and managed.

None of the practices within the Sherwood area have a significantly higher recorded prevalence than the England average.




CHD Indicator - Coronary heart disease (CHD) is caused by a build-up of fatty deposits on the walls of the arteries around the heart (coronary arteries). Risk is significantly increased if you smoke, have high blood pressure (hypertension), have a high blood cholesterol level, do not take regular exercise, have diabetes, or are overweight/obese.

1 of the practices within the Sherwood area has a significantly higher recorded prevalence than the England average; 'Elmswood Surgery' **3.8%** prevalence.



COPD (respiratory disease) Indicator - COPD is the name for a collection of lung diseases including chronic bronchitis, emphysema and chronic obstructive airways disease. People with COPD have difficulties breathing, primarily due to the narrowing of their airways, this is called airflow obstruction. Smoking is the main cause of COPD. At least four out of five people who develop the disease are, or have been, smokers.

2 of the practices within the Sherwood area have a significantly higher recorded prevalence than the England average; 'The Alice Medical Centre' **2.9%** prevalence and 'Elmswood Surgery' **2.1%** prevalence.



Severe Mental Illness - The register includes all patients with a diagnosis of schizophrenia, bipolar affective disorder and other psychoses. Mental illness can result in high levels of disability, loss of quality of life for patients, their families and carers.

4 of the practices within the Sherwood area have a significantly higher recorded prevalence than the England average; 'Sherrington Park Medical Practice' **1.4%**, 'Elmswood Surgery' **1.2%**, 'The Alice Medical Centre' **1.2%** prevalence and 'Hucknall Road Medical Centre' **1.0%**.

Metadata and contact information

Contact | This ward profile has been prepared by Nottingham City Council's Public Health department which is part of the Early Intervention directorate. To contact the team please email: publichealth.analysts@nottinghamcity.gov.uk

Metadata | This ward profile uses a wide variety of data from numerous sources such as the 2011 Census, Nottingham City Council Citizen's Panel 2011-2013, Public Health England's Local Health Portal, Hospital Episode Statistics (HES) Data and Mosaic by Experian. A complete guide to all of the data and sources can be found here:

<http://www.nottinghaminsight.org.uk/f/96676/Library/Public-Health/>