



Ward Health Profile

Basford Ward | 16,207 Ward Residents in 2011

Quick Statistics

- Basford has a total of **16,207** residents
- 7,871** are male (**48.6%**) and **8,336** are female (**51.4%**)
- There were **309** babies born in 2012
- The birth rate was **74** per 1,000 women (aged 11-44), higher than Nottingham City (53)
- 27.5%** of all adults in Basford smoke, the same as the City average
- 45.4%** of all adults are estimated to be overweight/obese, lower than Nottingham City but not significantly so.
- GCSE achievement is significantly worse than nationally and worse than the City average
- There were **103** deaths of ward residents during 2012
- Life expectancy for males is **77.6 years** which has no significant difference to the national figure
- Life expectancy for females is **82.5 years** which has no significant difference to the national figure
- Basford is ranked as the **755th** most deprived out of England's 7,589 wards, and the **9th** most deprived in the City
- There are **2** GP practices within Basford, with an additional **4** in close proximity to its border
- There are **2** pharmacies within Basford

Ward Map




Basford lies close to the River Leen, a tributary of the River Trent. Basford is located on the main route of the Nottingham Express Transit, which connects it to Nottingham City Centre to the south and Hucknall and Bulwell to the north.

Deprivation




- Income deprivation** is the percentage of residents living in households reliant on means tested benefit
- Child poverty** is the percentage of children (0-15) living in income deprived households
- Older people in deprivation** is the percentage of residents aged 60+ living in pension credit households

Population



Basford has a slightly higher percentage of children. These residents account for **20.8%** of the ward population. This is compared with **18.2%** for Nottingham City and **18.9%** nationally. It therefore has a smaller percentage of working age adults (16-64) compared to the Nottingham City average.


Self Reported Health & Care



The ward has a slightly higher percentage of children (aged 0-15) compared to the City. These residents account for **20.8%** in the ward compared to **18.2%** in the City and **18.9%** nationally however Basford does have a marginally higher percentage of older people (65+) compared to the City. Residents feel that they have the same general health to that of the City, and worse than nationally. General health bad or very bad, is significantly higher than the national figure.

A higher percentage of residents feel that they have a limiting long term illness or disability and provide higher levels of unpaid care compared to both the City and nationally.

Mosaic Groups




Mosaic groups are a way of segmenting the population into 15 groups based on their common characteristics.

22.2% of residents in Basford belong to group 'O'. This group is described as **"Families in low-rise social housing with high levels of benefit need"**. The key features of group 'O' are; disadvantaged, low incomes, unemployment, long term illness, low rise council housing, one parent families, high TV watching and dependence on the state.

Group 'I' account for **20.8%** of households. Group 'I' is described as **"Lower income workers in urban terraces in often diverse areas"** with key features such as; few qualifications, routine occupations, young singles and couples, some young children, ethnic diversity, small homes, crowded, below average income and sport.

Nottingham Citizens' Surveys 2011-2013 Health Questions

The Nottingham Citizens' Survey gathers citizens' perceptions on a variety of subjects including health. Around 2,000 citizens take part in the survey each year. The chart below shows health results from the combined 2011-2013 surveys and how Basford compares with the rest of the City wards.



Indicator	Ward Value	City Ward Avg	City Lowest Ward	City Ward Range	City Highest Ward
1 Average mental wellbeing score of residents (WEMWEBS)	51.6	51.2	49.1	[49.1, 52.3]	52.3
2 % of residents who smoke	27.5	27.5	8.4	[8.4, 36.5]	36.5
3 % of residents who are binge drinkers	24.9	21.6	10.3	[10.3, 35.4]	35.4
4 % of residents who are high/increased risk drinkers	7.9	11.7	3.2	[3.2, 16.8]	16.8
5 % of residents who are underweight	2.7	3.7	1.3	[1.3, 5.7]	5.7
6 % of residents who are overweight/obese	45.4	47.3	25.5	[25.5, 60.7]	60.7
7 % of residents who are a healthy weight	51.9	48.9	36.2	[36.2, 71.4]	71.4

Basford has no significant differences to the City average on any of the indicators related to health. There are a higher percentage of binge drinkers, less residents who are underweight and overweight/obese along with a higher percentage of residents who are a health weight, none of which are significantly different to the Nottingham City average.

Each ward indicator result is shown as a circle. The average value for Nottingham's wards are shown by the black line, which is always at the centre of the chart. If a circle is to the right of the black line then the ward's value is higher, if it is to the left of the black line the value is lower.

The range of results for all wards within Nottingham City are shown as a grey bar. A yellow circle means that the ward's value is significantly higher than the City's average, a purple circle indicates that their value is significantly lower. A white circle indicates that even though a value may be higher/lower than the City's average; it is not statistically significantly so.

Public Health England, Local Health Indicators


This chart shows Basford's status compared to all of the wards in England, and the England average as the central black line. Of the 24 indicators, around half are significantly worse than England's average. Deprivation, poverty, unemployment, education attainment are amongst some of those that are significantly worse than England.



Indicator	Ward Value	Eng. Ward Avg	Eng. Lowest Ward	England Ward Range	Eng. Highest Ward
1 Income Deprivation (%)	23.1	14.7	1.1	[Range]	49.8
2 Child Poverty (%)	38.3	21.8	1.0	[Range]	79.8
3 Unemployment (%)	6.7	3.8	0.3	[Range]	16.7
4 Long Term Unemployment (Rate/1,000 working age population)	19.0	10.1	0.0	[Range]	68.2
5 Overcrowding (%)	8.0	8.7	0.2	[Range]	47.7
6 Provision of 50 hours or more unpaid care per week (%)	2.9	2.4	0.0	[Range]	7.9
7 Pensioners living alone (%)	40.0	31.5	11.4	[Range]	63.3
8 Older People in Deprivation (%)	30.0	18.1	2.1	[Range]	82.1
9 Child Development at age 5 (%)	65.8	63.5	19.1	[Range]	95.0
10 GCSE Achievement (5A*-C inc. Eng & Maths) (%)	43.0	58.8	21.0	[Range]	100.0
11 Obese Children (Reception Year) (%)	8.5	9.4	2.1	[Range]	23.6
12 Obese Children (Year 6) (%)	26.2	19.1	4.0	[Range]	36.0
13 Low Birth Weight Births (%)	8.3	7.4	1.4	[Range]	13.8
14 General Health - bad or very bad (%)	6.5	5.5	0.0	[Range]	16.7
15 Limiting long term illness or disability (%)	19.6	17.6	2.2	[Range]	41.5
16 Children's and young people's admissions for injury (Crude rate/100,000 aged 0-17)	1262.4	1180.9	412.7	[Range]	2647.8
17 Emergency hospital admissions for all causes (SAR)	119.3	100.0	27.2	[Range]	224.9
18 Incidence of all cancer (SIR)	103.7	100.0	47.8	[Range]	146.6
19 Hospital stays for self harm (SAR)	107.5	100.0	12.3	[Range]	464.3
20 Hospital stays for alcohol related harm (SAR)	125.0	100.0	37.2	[Range]	296.2
21 Life expectancy at birth for males (years)	77.6	78.9	67.1	[Range]	91.3
22 Life expectancy at birth for females (years)	82.5	82.8	73.9	[Range]	98.4
23 Deaths from all causes, all ages (SMR)	109.3	100.0	19.9	[Range]	279.2
24 Deaths from all causes, under 75 years (SMR)	111.3	100.0	0.0	[Range]	286.1


Disease prevalence

As part of the performance management and payment system for GPs (called QoF), GPs keep a record of people with specific diseases such as diabetes, heart disease (CHD), respiratory disease (COPD) and depression. These registers are used to calculate recorded disease prevalence. The data below are taken from QoF 2012/2013. It is important to understand that these figures may be under estimates due to people not presenting to their GP, not being diagnosed or not being recorded.




Diabetes - Type 2 diabetes (the most common type) and obesity are clearly connected – being overweight or obese has been estimated to account for around 65% to 80% of new cases of Type 2 diabetes. The Citizens Survey findings indicate that Basford has a lower percentage of overweight and obese residents within Nottingham City and so would be expected to have a lower prevalence of diabetes. Diabetes is linked to many health complications such as heart disease, eye problems, kidney disease and problems with circulation so it is important that it is diagnosed early and managed.

2 of the practices within the Basford area have a significantly higher recorded prevalence than the England average; 'Boulevard Medical Centre' **7.4%** and 'Churchfields Medical Practice' **6.9%** prevalence.




CHD Indicator - Coronary heart disease (CHD) is caused by a build-up of fatty deposits on the walls of the arteries around the heart (coronary arteries). Risk is significantly increased if you smoke, have high blood pressure (hypertension), have a high blood cholesterol level, do not take regular exercise, have diabetes, or are overweight/obese.

2 of the practices within the Basford area have a significantly higher recorded prevalence than the England average; 'Boulevard Medical Centre' **4.6%** prevalence and 'Melbourne Park Medical Centre' **3.9%** prevalence.



COPD (respiratory disease) Indicator - COPD is the name for a collection of lung diseases including chronic bronchitis, emphysema and chronic obstructive airways disease. People with COPD have difficulties breathing, primarily due to the narrowing of their airways, this is called airflow obstruction. Smoking is the main cause of COPD. At least four out of five people who develop the disease are, or have been, smokers.

2 of the practices within the Basford area have a significantly higher recorded prevalence than the England average; 'Churchfields Medical Practice' **3.1%** prevalence and 'Melbourne Park Medical Centre' **2.3%** prevalence.



Severe Mental Illness - The register includes all patients with a diagnosis of schizophrenia, bipolar affective disorder and other psychoses. Mental illness can result in high levels of disability, loss of quality of life for patients, their families and carers.

3 of the practices within the Basford area have a significantly higher recorded prevalence than the England average; 'Hucknall Road Medical Centre' **1.0%** prevalence, 'Churchfields Medical Practice' **1.1%** prevalence and 'Boulevard Medical Centre' **1.3%** prevalence.

Metadata and contact information

Contact | This ward profile has been prepared by Nottingham City Council's Public Health department which is part of the Early Intervention directorate. To contact the team please email: publichealth.analysts@nottinghamcity.gov.uk

Metadata | This ward profile uses a wide variety of data from numerous sources such as the 2011 Census, Nottingham City Council Citizen's Panel 2011-2013, Public Health England's Local Health Portal, Hospital Episode Statistics (HES) Data and Mosaic by Experian. A complete guide to all of the data and sources can be found here:

<http://www.nottinghaminsight.org.uk/f/96676/Library/Public-Health/>