

REVIEW OF PARLIAMENTARY POLLING DISTRICTS AND POLLING PLACES 2011

**REPRESENTATIONS OF THE RETURNING OFFICER FOR NOTTINGHAM EAST,
NOTTINGHAM NORTH AND NOTTINGHAM SOUTH CONSTITUENCIES**

1 BACKGROUND

- 1.1 As Returning Officer for the three Parliamentary constituencies of Nottingham East, Nottingham North and Nottingham South, I am required by Section 18C and Schedule A1 of the Representation of the People Act 1983 to make representations to the City Council on its review of polling districts and places which commenced on 19 August. In particular, I am required to comment on the suitability of existing and proposed polling stations.
- 1.2 The determination of polling districts and places is a function reserved to the City Council. The determination of polling stations is a function of the Returning Officer.
- 1.3 The City Council has used its existing scheme of polling districts and places (as applied during the local elections in May 2011) as the basis of the review. Details of this scheme were included in the consultation document on 19 August 2011. Fourteen separate representations were received following publication of notice of the review: two from electors, one from a school governing body, four from city councillors, one from the MP for Nottingham East and six from representatives of churches within the City. No representations were received from organisations representing disability groups.
- 1.4 The majority of the polling districts and places within the existing scheme were the subject of a detailed site survey during 2007 when the first statutory review was undertaken and this included advice from the Council's Access Officer who surveyed every polling station then in use (and in the light of which adaptation works were undertaken to improve access for disabled people). There have been no changes to polling districts since completion of the review in 2007 although changes have been made to polling stations. Any changes made had regard to the requirements of the Electoral Administration Act 2006 and Electoral Commission guidance and followed consultation with relevant ward councillors and the required public notice.

2 REPRESENTATIONS

- 2.1 In making my representations on the current scheme of polling districts and places and, in commenting on suitable polling stations, I have considered information which has been received through the consultation process from electors, councillors, and the head teachers of schools currently used as polling places. In respect of the use of schools as polling places, I have also had regard to the need to avoid school closures wherever possible to minimise the impact on the education of children within the City. I have considered feedback obtained following the 2011 local elections/national referenda (e.g. via polling station staff, electors, and candidates) and from further surveys of existing and potential polling places and stations within the City which have been undertaken by Electoral Services' colleagues in preparation for this review. I have also addressed changes in local circumstances where previously used polling stations are no longer available.

2.2 In considering where polling districts, places and polling stations should be I have also addressed the following key issues:-

- whether all electors have such reasonable facilities for voting as are practicable;
- whether , as far as is reasonable and practicable, polling places are accessible to all electors, including those who are disabled, and are easy to find and avoid barriers such as major roads;
- that polling places should be within the polling district unless it is not possible to find a suitable place within the area;
- whether a polling district is small enough to indicate to electors throughout that district how they will be able to reach the polling station
- the number of electors per polling station and place and the numbers who vote by post ;
- the number of postal voters and turn out
- the balance between the quality of a venue as a polling place/station (access and facilities including those available to polling station staff) and the distances between residents and the venue.

2.3 In the attached schedule I recommend some limited changes to polling places. Taking account of the information available to me and the issues set out in paragraphs 2.1 and 2.2 above, I consider that least change is appropriate given the electorate's familiarity with current arrangements derived from a recent election and given the limited number of representations received through the consultation process. While there is a legal requirement to formally review parliamentary polling districts and places every four years, in practice Electoral Services will review arrangements annually so as to ensure that the Council's scheme keeps pace with local changes and so that, as far as is practicable, all electors have appropriate and accessible facilities for casting their vote.

Jane Todd
Returning Officer
Nottingham City Council

30 September 2011

NOTTINGHAM EAST CONSTITUENCY

Review of Polling Districts and Polling Places
Evaluation Checklist Summary

Please Note – all proposed changes are shaded in grey

ST ANNS WARD

Polling District: ANNA

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Voluntary Action Centre 7 Mansfield Road	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS Y	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 1	LANDLINE AVAILABLE Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>Development (student scheme) planned on Glasshouse Street (16 dwellings), which will have little effect on the polling station.</p> <p>No alternative buildings were identified in this polling district.</p> <p style="text-align: center;">NO CHANGE REQUIRED</p>
------------------------------------	--

Polling District: ANNB

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
	St Anns Childrens Centre Off Palmerston Gardens	Y	Y	Y	SLOPE, DIFFICULT FOR WHEELCHAIR USERS	Y	Y	NO BUT COULD OPEN ENTRANCE FROM ALFRED STREET CENTRAL	NO - NEED TO OPEN GATE ALFRED STREET CENTRAL
BUILDING LEVEL ACCESS		DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
NO YES IF ALTERNATIVE ROUTE IS OPEN ON ALFRED ST CENTRAL		Y	Y	Y		Y	Y	1	Y

RETURNING OFFICERS COMMENTS

This venue meets most of the requirements of the review and is a suitable polling station location. However, there are some issues with the access route and parking which I have sought to address but which, because of safeguarding issues, have not been possible to resolve ..

Review comment received: Long distance to walk from car park – suggest The Community Room at 10 Woodborough Road.

Response: The community Room at 10 Woodborough Road is no longer available.

In the absence of any other suitable venue in this polling district and to avoid closure of a school it is proposed that this polling station remains the same.

NO CHANGE REQUIRED

Polling District: ANNC

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
St Augustine's Church Hall Westville Gardens	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS Y	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 2	LANDLINE AVAILABLE N

<p>RETURNING OFFICERS COMMENTS</p>	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>Proposed development on Woodborough Road (15 dwellings), which will have little effect on this polling station.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
---	--

Polling District: ANND

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
St Ann's Library Robin Hood Chase	Y	Y	Y	N	Y	Y	Y	Y	Y
	BUILDING LEVEL ACCESS NO -RAMP BUT NO HANDRAIL	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y AUTOMATIC	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 2	LANDLINE AVAILABLE Y

RETURNING OFFICERS COMMENTS
<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>Development planned on Robin Hood Chase (15 dwellings), which will have little effect on this polling station.</p> <p>Also as an alternative there will space in the Joint Service Centre next door when it is completed.</p> <p>Review comment received: Suggest using The Church of St Ann with Emmanuel Church Hall, Robin Hood Chase as an alternative. This venue has been visited and is a suitable polling station as it fits all the requirements of the review; it is, however, just the other side of the polling district boundary (no electors affected) but were the library to be unavailable it would be an ideal replacement.</p> <p>NO CHANGE REQUIRED</p>

Polling District: ANNE

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Blue Bell Hill Community Centre, Dennett Close	Y	Y	Y	N	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	1	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling district: ANNF & G

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Blue Bell Hill Primary School, Gordon Road	Y	Y	Y	Y	Y	Y	Y	Y	
	BUILDING LEVEL ACCESS N RAMP WITH HANDRAILS	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 2	LANDLINE AVAILABLE

<p>RETURNING OFFICERS COMMENTS</p>	<p>Although this venue meets the requirements of the review the school is located at a top of a large hill. For this reason and also in order to avoid closure of this school an alternative location has been identified – please see below.</p> <p>PROPOSED CHANGE</p>
---	---

Polling district: ANNF & G - (ALTERNATIVE)

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Greyfriars Club Gordon Road	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS Y	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 2	LANDLINE AVAILABLE Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location; it is large enough to accommodate 2 polling stations one for ANNF and one for ANNG. It may also be worth considering removing the polling district boundary between these two districts and merging them together this will require the polling districts to be renamed.</p> <p>Development planned at Welland Court (60 dwellings), polling station is still large enough to be able to accommodate the potential increase in electors.</p> <p>Changing to this venue will stop the closure of a school.</p> <p>NEW PROPOSAL</p>
------------------------------------	---

Polling District: ANNH

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Russell Youth Club, Lowdham Street	Y	Y	Y	Y	N	Y	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	1	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>Development planned at Huntingdon Street (32 dwellings) and Windmill Lane (24 dwellings). Station large enough to accommodate this increase.</p> <p>Review comment received: ‘...not the best place for a polling place since it is across a major road from the majority of the electorate. A better polling place would be the pavilion on King Edward Park’</p> <p>Response: Although the polling station is on the opposite side of Carlton Road to the majority of electors, there are crossing points at regular intervals. The station has been used for a number of years with no complaints from electors, and although not prominently placed it is in a central location with good access.</p> <p>The new pavilion on King Edward Park has been visited, does not have disabled access (2-3 inch step), has no lighting on the approach paths which are uneven and sloped in places and may be difficult to negotiate in the dark.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	--

ARBORETUM WARD

Polling District: ARBA

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Berridge Junior School, Entrance from Brushfield Street)	Y	Y	Y	Y	Y	N	N ON ROAD ONLY	N ON ROAD ONLY	Y
	BUILDING LEVEL ACCESS Y	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 1	LANDLINE AVAILABLE Y

RETURNING OFFICERS COMMENTS

This venue meets the requirements of the review and is a suitable polling station location. We currently use an annexe building in the school grounds. In May, CPO's were stationed at the school to stop access into the playground for safeguarding purposes so that the school could remain open.

An alternative venue has been identified at the other end of the district.(see below)

PROPOSED CHANGE

Polling District: ARBA – (ALTERNATIVE)

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Bridge Centre, Boulevard United Reformed Church	Y	Y	Y	Y	Y	Y	N ON ROAD ONLY	N ON ROAD ONLY	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	N STEPS DOWN BUT RAMP & DISABLED LIFT	Y	Y	Y	N	Y	Y	2	Y

RETURNING OFFICERS COMMENTS

This venue meets the requirements of the review and is a suitable polling station location. It is a good venue, busy and in middle of the community. The main room is one floor down from the street but has 2 ramps plus wheelchair lift. Currently used extensively by wheelchair users.

No developments planned.

Changing to this venue will avoid the closure of a school.

NEW PROPOSAL

Polling District: ARBB

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
7 th Nottingham Scouts Trafalgar Lodge Forest Gate	Y	Y	Y	Y	Y	N	Y ON PREMISES	Y ON PARK & RIDE	Y
	BUILDING LEVEL ACCESS Y	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS Y DOORMATS NOT LEVEL	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 2 BUT TIGHT	LANDLINE AVAILABLE N

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location. It is located on the west side of the Forest Recreation Ground. Previous complaints about hill and distance as half way up a hill but level with the Park & Ride car park.</p> <p>No developments planned.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	--

Polling District: ARBC

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
All Saints Wellness & Family YMCA 75 Raleigh Street	N	N	N	Y	N	Y	N	N	Y
	Y	Y	Y	Y	N	Y	Y	1	N
		DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE

<p>RETURNING OFFICERS COMMENTS</p>	<p>This venue is currently empty and was opened by the management company in May by special arrangement. The management company will make a decision on whether to re-open or put the premises up for sale in October.</p> <p>Should the premises no longer be available and with the absence of anything else in the district the only alternative would be to put ARBC with ARBD in the new venue identified. (SEE ALTERNATIVE FOR ARBD)</p> <p>Further to representations received through the consultation process a new venue, Tennyson Hall, was recommended. This venue meets the requirements of the review and I have now included this in my proposed changes to the current scheme.</p> <p>NO CHANGE (IF IT REMAINS OPEN) OR PROPOSED CHANGE TO ARBD</p>
---	--

Polling District: ARBD

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Byron House Shakespeare Street	Y	N	N	N	Y	Y	N	N	Y
	BUILDING LEVEL ACCESS Y	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 2-3	LANDLINE AVAILABLE N

RETURNING OFFICERS COMMENTS	<p>Major development work is planned for this venue and it will not be available for the foreseeable future.</p> <p>Student development is also scheduled throughout the polling district including Wollaton Street (40 dwellings), Talbot Street (492 dwellings) and Goldsmith Street (636 dwellings).</p> <p>An alternative venue has been found which is large enough to cope with this district and ARBC if necessary (see below)</p> <p>PROPOSED CHANGE</p>
------------------------------------	---

Polling District: ARB C & D – (ALTERNATIVE)

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Newton & Arkwright Building Exhibition Area Goldsmith Street	Y	Y	Y	Y	Y	Y	N	N	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	3-4	N

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location. Not only is this venue centrally located but it is easily accessible on the ground floor. It is open plan but large enough not to be over looked or over heard by non-electors.</p> <p>A large proportion of the electorate are students with additional student accommodation planned at Wollaton Street (40 dwellings), Talbot Street (492 dwellings) and Goldsmith Street (636 dwellings).</p> <p>Due to representations received as mentioned above this venue is now being recommended for use by ARBD polling district only.</p> <p>NEW PROPOSAL</p>
------------------------------------	--

BERRIDGE WARD

Polling District: BERA

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Stadium Leisure 190 Nottingham Road	Y	Y	Y	Y	Y	N	N	N	Y
	BUILDING LEVEL ACCESS Y	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 2	LANDLINE AVAILABLE Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location. The venue is widely used by residents/members with a restaurant on site and pool hall.</p> <p>Previous complaints include – room is in a bar and there is poor lighting as no external windows.</p> <p>The lighting is dim as small spot lights cover the ceiling; polling booths need to be placed directly under lights so that electors can see clearly when marking their papers.</p> <p>Development is planned at Lortas Road (35 dwellings) which this station can easily accommodate</p> <p>There are no other alternatives in the area and all other facilities are perfect.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	--

Polling District: BERB

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Portable Unit at Junction of Perry Road and Hucknall Road	Y	Y	Y	Y	Y	Y	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	1	N

RETURNING OFFICERS COMMENTS	<p>This district has had a portable unit for many years sited at this junction.</p> <p>A development is planned at Hucknall Road (23 dwellings) which will have little impact on this station.</p> <p>No alternative buildings were identified in this polling district.</p> <p>New portable units are being sourced to provide more space and better facilities for both the electorate and staff.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	--

Polling District: BERC

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Northgate Primary School, Suez Street	Y	Y	Y	N	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS Y	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 2	LANDLINE AVAILABLE Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>Complaints were received from parents at the election in May due to the school closure and New Basford Community Centre was suggested as an alternative.</p> <p>No developments planned.</p> <p>An alternative venue has been identified at the other end of the district. (see below)</p> <p>PROPOSED CHANGE</p>
------------------------------------	---

Polling District: BERC - (ALTERNATIVE)

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
New Basford Community Centre, Zulu Road	Y	Y	Y	N	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	1	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location. However, it is located right on the edge of the polling district.</p> <p>Changing to this venue will avoid the closure of a school.</p> <p>NEW PROPOSAL</p>
------------------------------------	---

Polling District: BERD

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Claremont Primary School, Claremont Road	Y	Y	Y	Y	Y	Y	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	Y	Y	Y	1	Y

RETURNING OFFICERS COMMENTS

This venue meets the requirements of the review and is a suitable polling station location. However, this is an old school with limited disabled access.

No information to suggest any disabled electors have had difficulties gaining access to this venue which is why it meets the requirements of the review. However, the access at the new proposal is far better.

No developments planned.

An alternative venue has been identified with better facilities at the other end of the district and will avoid closure of the school. (see below)

PROPOSED CHANGE

Polling District: BERD - (ALTERNATIVE)

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
The Polish Catholic Club Hall Sherwood Rise	Y	Y	Y	Y	Y	Y	Y	Y	Y
	BUILDING LEVEL ACCESS N RAMP WITH HANDRAILS	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 2	LANDLINE AVAILABLE Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location. This is a fully accessible venue with a large hall with parking available. It is well known and well used venue.</p> <p>No developments planned</p> <p>Changing to this venue will avoid the closure of a school.</p> <p>NEW PROPOSAL</p>
------------------------------------	---

Polling District: BERE

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Scotholme Primary School, Fisher Street	Y	Y	Y	N	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS Y	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 1	LANDLINE AVAILABLE Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location. However, in order to avoid the school closing an alternative has been identified.</p> <p>No developments planned.</p> <p>An alternative venue has been identified at the other end of the district.(see below)</p> <p>PROPOSED CHANGE</p>
------------------------------------	--

Polling District: BERE -- (ALTERNATIVE)

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Hyson Green Library Gregory Boulevard	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS Y	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 1	LANDLINE AVAILABLE Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location. The library is fully accessible and is closed on a Thursday. There is also some on street parking.</p> <p>Changing to this venue will avoid closure of a school.</p>
NEW PROPOSAL	

Polling district: BERF

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Forest Fields Community Centre, Sturton Street	Y	Y	Y	N	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	2	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling District: BERG

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Forest Fields Advice Centre, 69 Wiverton Road	Y	Y	Y	N	Y	Y	N	N	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	1	Y

<p>RETURNING OFFICERS COMMENTS</p>	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
---	---

DALES WARD

Polling District: DALA

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
	Muslim Community Organisation Centre Jinnah Building Beaumont Street	Y	Y	Y	Y	Y	Y	Y	Y
BUILDING LEVEL ACCESS Y		DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 1	LANDLINE AVAILABLE Y

RETURNING OFFICERS COMMENTS
<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>Previous complaints – Hard to find and needs additional street signage. Some gates locked.</p> <p>Having discussed these issues with premises management, the side gate can be opened at future elections. Additional signage will be given to the Presiding Officer to display at both entrances.</p> <p>Development planned on Lower Parliament Street (46 dwellings). No impact on this station and this increase can be easily accommodated.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>

Polling District: DALB

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Sneinton Branch Library, Sneinton Boulevard	Y	Y	Y	Y	Y	N	N	N	Y
	BUILDING LEVEL ACCESS N RAMP WITH HANDRAIL	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 2	LANDLINE AVAILABLE Y

<p>RETURNING OFFICERS COMMENTS</p> <p>This venue meets the requirements of the review and is a suitable polling station location. This is a very well used venue which is central to the community.</p> <p>Development planned on Sneinton Boulevard (6 dwellings). This increase will have little impact on this polling station.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>	
--	--

Polling District: DALC

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
	Portable Unit at Starting Gate car park Daleside Road East	Y	Y	Y	Y	Y	Y	Y	Y
BUILDING LEVEL ACCESS		DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	1	N

<p>RETURNING OFFICERS COMMENTS</p> <p>This portable unit meets the requirements of the review and is a suitable polling station location. Previous complaints – alternative venue required as portable unit not suitable. Unfortunately the Starting Gate pub has no suitable room and there are no other premises in the area.</p> <p>Development planned at Daleside Road (81 properties). This will cause no problems in terms of increase in electorate for this polling station.</p> <p>New portable units are being sourced to provide more space and better facilities for both the electorate and staff.</p> <p>NO CHANGE REQUIRED</p>
--

Polling District: DALD

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
	Nottingham Wildcats Arena Greenwood Road	Y	Y	Y	Y	Y	N	Y	Y
BUILDING LEVEL ACCESS		DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	2	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location. This is a very large room and can easily accommodate the electorate for this area.</p> <p>There are no developments planned in this area.</p> <p>Review comment received: Considerable distance for some houses in district, however no alternative known. This view was reiterated by a further submission received after the consultation period closed .</p> <p>In the absence of any other suitable venue in this district it is proposed that no change is made.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

--	--

Polling District: DALE

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Dales United Reformed Church Hall, Parkdale Road	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	1	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>There are no developments planned in this area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	--

Polling District: DALF

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Bakersfield Branch Library, Watson Avenue	Y	Y	Y	N	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	1	Y

<p>RETURNING OFFICERS COMMENTS</p>	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>There are no developments planned in this area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
---	--

Polling District: DALG

POLLING PLACE		GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Sneinton Children's Centre Edale Road		Y	Y	Y	Y	Y	N	Y	Y	Y
		BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
		Y	Y	Y	Y	N	Y	Y	1	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location. However, it is at the top of a very steep hill.</p> <p>Previous complaints – poor lighting. This has been fixed as it was a temporary problem</p> <p>Previous complaint – steep hill. It is quite a climb from Sneinton Dale.</p> <p>No developments planned in this area.</p> <p>The Oliver Hind Youth Club is located at the bottom of this hill and would (if available) be a suitable alternative. I have been unable to make contact with the club to date to pursue this any further but will continue to look at this as a possibility.</p> <p>NO CHANGE REQUIRED (Pending investigation of the Oliver Hind boys club</p>
------------------------------------	---

MAPPERLEY WARD

Polling District: MAPA

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Creche Room Highwood House, 39-59 Cranmer Street	Y	Y	Y	Y	Y	N	N STREET PARKING ONLY	Y STREET PARKING ONLY	Y
	BUILDING LEVEL ACCESS N RAMP WITH HANDRAILS	DISABLED ACCESS DOOR EXTERNAL 780MM INTERNAL 800MM DIFFICULT FOR MOTORISED WHEELCHAIR	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 1	LANDLINE AVAILABLE Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>Comments received: St Andrew's Church, Mansfield Road have offered their church hall as an alternative venue.</p> <p>Response: Access to the church hall is by a poorly maintained ramp, parking is limited and it is located right on the edge of the polling district and accordingly this alternative venue does not constitute an improvement on current arrangements</p> <p>Development planned at Mapperley Road (37 dwellings) and Cranmer Street (23 dwellings). This increase will cause no significant problems to the existing polling station.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling District: MAPB

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
	Sports Pavilion, Carrington Sports Ground, Entrance from Esher Grove/Alverston Road	Y	Y	Y	Y	N	Y	Y	Y
BUILDING LEVEL ACCESS		DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	1	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in this area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	--

Polling district: MAPC

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
St Jude's Church Hall Woodborough Road	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	2	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in this area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	--

Polling District: MAPD

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
St Ann's North Children's Centre Entrance from The Wells Road only 589 The Wells Road	Y	Y	Y	N	Y	Y	Y	Y BUT LIMITED	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	2 A BIT TIGHT	Y

RETURNING OFFICERS COMMENTS
<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>Previous complaint – small for a split station.</p> <p>Response- Station is a bit small for 2 stations but can work if well organised. Another option would be to split this district and send some electors to Mapperley Community Centre on Woodborough Road. However, this is on a main road with no parking and the Community Association are reluctant to have the centre used as a polling station.</p> <p>Developments planned at the Wells Road (11 dwellings) and Woodborough Road (11 dwellings). This will have little impact on the electorate for this polling station.</p> <p>To avoid the school being closed and with a layout plan to ensure the best use of space this existing venue can work as a split polling station.</p> <p>NO CHANGE REQUIRED</p>

Polling District: MAPE

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Wells Community Centre, The Wells Road	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS Y	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 1	LANDLINE AVAILABLE Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in this area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	--

Polling District: MAPF

POLLING PLACE		GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Hogarth Primary School, Porchester Road		Y	Y	Y	N	Y	N	Y	Y	Y
		BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
		Y	Y	N	Y	N	Y	Y	2	Y

RETURNING OFFICERS COMMENTS

This existing venue meets the requirements of the review and is a suitable polling station location.

The school does also have a single storey building at the top of the field accessed from Porchester Road and proposals were made to the Head teacher that , via the erection of temporary or permanent fencing to block access to the rest of the school site (costs would require investigation) this building could be used as a polling station.. The Head teacher did not consider this proposal a viable option.

WITH THE ABSENCE OF ANY ALTERNATIVE OTHER THAN ABOVE - THIS SCHOOL WILL BE CLOSED

NO CHANGE

SHERWOOD WARD

Polling District: SHEA

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Edwards Lane Community Centre, Alderton Road	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	1	Y

<p>RETURNING OFFICERS COMMENTS</p>	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in this area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
---	--

Polling District: SHEB

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
City Hospital Social Club City Hospital Campus Hucknall Road	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS Y	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 2	LANDLINE AVAILABLE Y

RETURNING OFFICERS COMMENTS
<p>This venue meets the requirements of the review and is a suitable polling station location. This building has a new ramp – gentle incline with handrail</p> <p>Development planned on Hucknall Road (83 dwellings). This polling station can easily accommodate an increase in electorate.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>

Polling District: SHEC

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Sherwood Children's Centre Perry Road	Y	Y	Y	Y	N NOT ENOUGH SIGNS	Y	N ROAD PARKING ONLY	N ROAD PARKING ONLY	Y BUILDING LIGHTING
	BUILDING LEVEL ACCESS Y	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 1	LANDLINE AVAILABLE Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location. No parking available but a good station.</p> <p>Previous complaint – ‘dark access and distance to the road. It is a long walk from the road with no lighting on the narrow path, only one entrance’.</p> <p>Response: This was the same when the school was used as they are both set back from the main road. There is external lighting on the building.</p> <p>No developments planned in this area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling District: SHED

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Sherwood Community Centre, Woodthorpe House, Mansfield Road	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	1	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>Review comment received: St Martin's Church, Trevoze Gardens to be used as an alternative venue</p> <p>There is no reason to move at present as the Community centre has been used for a number of years and is well known to the electorate. St Martin's Church to be used as a replacement if necessary in the future.</p> <p>No developments planned in this area.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	--

Polling District: SHEE

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Haydn Primary School (Nursery), Entrance from Cameron Street only	Y	Y	Y	Y	Y	Y	Y	Y	Y
	BUILDING LEVEL ACCESS Y	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 1	LANDLINE AVAILABLE Y

RETURNING OFFICERS COMMENTS	
	<p>This venue meets the requirements of the review and is a suitable polling station location. The nursery has completely separate access and therefore the school can remain open. There were some issues with signage at the local elections in May but these were addressed satisfactorily on the day.</p> <p>Development planned on Daybrook Street (11 dwellings). This station would have no problem accommodate an increase in electorate.</p> <p>NO CHANGE REQUIRED</p>

Polling District: SHEF

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
	Y	Y	Y	Y 3 ENTRANCES 2 WITH DROPPED KERB	Y	N	Y ON THE STREET	Y ON THE STREET	Y
St John's Community Centre St John's Church Mansfield Road	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y 4 DOORS BUT ALL 800MM+	Y	Y	N	Y	Y	1	Y

<p>RETURNING OFFICERS COMMENTS</p>	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>Development planned on Yew Tree Avenue (15 dwellings). This polling station will have no issues in accommodating this increase.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
---	--

Polling district: SHEG

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Synagogue Hall Lloyd Street	Y	Y	Y	Y	Y	Y	Y	Y	Y
	BUILDING LEVEL ACCESS Y	DISABLED ACCESS DOOR Y EXT DOOR 800MM INT DOOR 710MM	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 1	LANDLINE AVAILABLE N

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling District: SHEH

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Winwood Community Centre, Chestnut Walk	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	1	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

NOTTINGHAM NORTH CONSTITUENCY

Review of Polling Districts and Polling Places
Checklist Evaluation Summary

Please note that all proposed changes are shaded in grey

ASPLEY WARD

Polling District: ASPA & C

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Bells Lane Community Centre, Amesbury Circus	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS Y	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 2	LANDLINE AVAILABLE Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>It may be worth considering merging ASPA & ASPC polling districts together. This will require the re-ordering of the polling district names. This is not necessary if Council agree not to make any boundary changes.</p> <p>No developments planned in the area. No alternative buildings were identified in this polling district.</p> <p style="text-align: center;">NO CHANGE REQUIRED</p>
------------------------------------	---

Polling District: ASPB

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Sixways Community Centre, Denton Green	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	2	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling District: ASPD & E

POLLING PLACE		GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Aspley Community and Training Centre Minver Crescent		Y	Y	Y	Y	Y	N	Y	Y	Y
		BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
		Y	Y	Y	Y	N	Y	Y	2	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location. The large theatre room is used at the rear of the building and it accommodates two polling stations.</p> <p>The venue is well used by residents in the community and we have had no complaints from electors.</p> <p>Previous complaints (staff comment) – lots of doors not wide enough.</p> <p>Response: There are 5 sets of doors, the door into the room is 800mm and all the others are double doors (each 800mm) in the corridor. All doors are within the required standard</p> <p>Development at Nuthall Road (28 dwellings) This polling station can easily accommodate an increase in electorate.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

BASFORD WARD

Polling District: BASA

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
		Y	Y	Y	Y	Y	N	Y	Y
Highbury Vale Community Centre, Brooklyn Road	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	1	N

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling District: BASB

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Southwark Primary School, Community Room Park Lane	Y	Y	Y	Y	Y	N	Y RESERVED		Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	N	Y	N	Y	Y	1	Y ONLY SCHOOL HOURS

RETURNING OFFICERS COMMENTS	
	<p>This venue meets the requirements of the review and is a suitable polling station location. The Community Room has a separate entrance at the front of the school. Using this room does not affect the school in any way other than parking arrangements – disabled electors are able to park in staff car park as are the staff but other electors will have to park on the road.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>

Polling District: BASC

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Headstocks Public House Bagnall Road	Y	Y	Y	Y	Y	Y	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	N NO RAMPS OR ALTERNATIVE LEVEL ROUTE	Y	Y	Y	N	Y	Y	1	N

RETURNING OFFICERS COMMENTS
<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>Previous complaints – poor lighting. This has been investigated and there is no problem with the lighting</p> <p>Previous complaints - disabled access through the bar but there is a step at both accesses. There is an 8 inch step into the station. There is an alternative access but that also has a small step</p> <p>Response: The wrong entrance was used at the elections in May. The correct entrance will be open in future to allow easier access to the premises. The new entrance has a small step but a portable ramp will be given to the Presiding Officer to give full wheelchair access.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>

Polling District: BASD

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
The Bowls Pavilion, Nuthall Road	Y	Y	Y	N	N	Y	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	1	N

RETURNING OFFICERS COMMENTS	<p>This venue is very poor and often has damage to it. The facilities available to staff are also inadequate.</p> <p>An alternative venue has been identified within the district (see below)</p> <p>No developments planned in the area.</p> <p>PROPOSED CHANGE</p>
------------------------------------	---

Polling District: BASD – (ALTERNATIVE)

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
	Y	Y	Y	Y	Y	N	Y	Y	Y
Function Room The Mill Public House, Bagnall Road	BUILDING LEVEL ACCESS Y	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 1	LANDLINE AVAILABLE N

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>Two entrances, the main one is level but the other has one step. The disabled access will be signed by the Presiding Officer.</p> <p>No developments in area planned</p>
NEW PROPOSAL	

Polling District: BASE

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Old Basford Community Centre, Bramble Close	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS Y	DISABLED ACCESS DOOR Y 2 DOUBLE DOORS	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 1	LANDLINE AVAILABLE N

<p>RETURNING OFFICERS COMMENTS</p>	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>Previous complaints – cold and dirty.</p> <p>Response: Building was clean and warm on day of inspection and seemed to be well looked after.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
---	--

Polling District: BASF

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Vernon Park Pavilion, Vernon Avenue	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	N RAMP WITH HANDRAILS	Y	Y	Y	N	Y	Y	1	N

RETURNING OFFICERS COMMENTS	
	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>

Polling District: BASG

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
	Heathfield Park Community Centre Ventnor Rise	Y	Y	Y	Y	Y	Y	Y	Y
BUILDING LEVEL ACCESS		DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	1	N

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling District: BASH

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Basford Children's Centre, Bracknell Crescent	Y	Y	Y	Y	Y	Y	Y ON THE ROAD OR AT SCHOOL NEXT DOOR	Y ON THE ROAD OR AT SCHOOL NEXT DOOR	Y
	BUILDING LEVEL ACCESS Y	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 1	LANDLINE AVAILABLE Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>Development on Bar Lane (14 dwellings). No problem for the polling station.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	--

BESTWOOD WARD

Polling district: BESA

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
	Community Room at Masson Court Meregill Close	Y	Y	Y	Y	Y	Y	Y	Y
BUILDING LEVEL ACCESS N		DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 1	LANDLINE AVAILABLE N

RETURNING OFFICERS COMMENTS
<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>Previous complaint – hard to find.</p> <p>Response: There are locked gates into the complex but these are open on Polling Day. The access from Bestwood Park Drive is a long steep path to gated entrance - this requires more signage. Access from Meregill Close is fine with some parking available. The community room is ramped</p> <p>No alternative buildings were identified in this polling district.</p> <p>No developments in area planned.</p> <p>NO CHANGE REQUIRED</p>

Polling District: BESB

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Bestwood Park Church Beckhampton Road	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	2	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location. A small room on the corridor is normally used. The vicar has agreed that the main church hall would be used in future providing more space and easier access.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling District: BESC

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
The People's Church Gladehill Road	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS Y	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 2	LANDLINE AVAILABLE Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling District: BESD

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Bestwood Park Community Centre, Beckhampton Road	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	N ramp	Y	Y	Y	N	Y	Y	2	Y

RETURNING OFFICERS COMMENTS
<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>

Polling District: BESE

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Robin Hood Primary School, Beckhampton Road	Y	Y	Y	Y	Y	N	N	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	2	N

<p>RETURNING OFFICERS COMMENTS</p> <p>This venue meets the requirements of the review and is a suitable polling station location. The school has agreed that we can use the dining hall as at previous elections. The school has assessed safeguarding issues and can work with us to provide the polling station and keep the school open to all children on election day.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>	<p>This venue meets the requirements of the review and is a suitable polling station location. The school has agreed that we can use the dining hall as at previous elections. The school has assessed safeguarding issues and can work with us to provide the polling station and keep the school open to all children on election day.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
---	---

Polling District: BESF

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Bestwood Community Centre, Gainsford Crescent	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	2	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling District: BESH

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
	Portable Unit at Junction of Arnold Road and Belconnen Road	Y	Y	Y	N PAVEMENT	Y	Y	N ROAD PARKING	N ROAD PARKING
BUILDING LEVEL ACCESS		DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	N	Y	Y	Y					

RETURNING OFFICERS COMMENTS
<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district. However, as soon as the Leen Valley Community Centre, Arnold Road is refurbished the polling station will revert back to there.</p> <p>New portable units are being sourced to provide more space and better facilities for both the electorate and staff.</p> <p>NO CHANGE REQUIRED AT PRESENT</p>

BILBOROUGH WARD

Polling District: BILA

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Seagrave Primary School, Helston Drive	Y	Y	Y	N	Y	Y	Y	Y	Y
	BUILDING LEVEL ACCESS N	DISABLED ACCESS DOOR N	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 2	LANDLINE AVAILABL E Y

RETURNING OFFICERS COMMENTS	<p>This venue meets some of the requirements of the review and is a suitable polling station location but it is situated at the top of a large drive. However, a more suitable venue has now been identified. (see below)</p> <p>No developments planned in the area.</p> <p>Review comment received: Strelley Social Club has reopened, use this venue instead</p> <p>PROPOSED CHANGE</p>
------------------------------------	---

Polling District: BILA (ALTERNATIVE)

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Strelley Social Club Helston Drive	Y	Y	Y	Y	Y	Y	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	2	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location. The new owners of this property are keen for us to use it and there is a large hall available.</p> <p>No developments planned in the area.</p> <p>NEW PROPOSAL</p>
------------------------------------	--

Polling District: BILB

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Bramley Green Centre, Bramley Green	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS N Ramp	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 1	LANDLINE AVAILABLE Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling District: BILC

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Community Centre adjacent to Bilborough Library Bracebridge Drive	Y	Y	Y	Y	Y	Y	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	2	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location. Parking in adjoining car park for Health Centre or the public house.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	--

Polling District: BILD

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Brocklehigh Space for Sports and Arts Beechdale Road	Y	Y	Y	Y	Y	Y	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	2	N

<p>RETURNING OFFICERS COMMENTS</p>	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>Previous complaint – distance.</p> <p>Response: The polling station is centrally located within the polling district, making access for electors largely the same for all electors in that district.</p> <p>Development proposed at Camrose Close (15 dwellings). This polling station can accommodate the increase in electorate.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
---	---

Polling District: BILE

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Beechdale Community Centre, Ambergate Road	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	1	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling district: BILF

POLLING PLACE		GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Birchover Community Centre, 83 Birchover Road		Y	Y	Y	Y	Y	Y	Y	Y	Y
		BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
		Y	Y	Y	Y	N	Y	Y	1	N

RETURNING OFFICERS COMMENTS
<p>This venue meets the requirements of the review and is a suitable polling station location with lots of parking.</p> <p>Previous complaint – disabled access is not wide enough. Response: All 4 sets of doors comply at 800mm+.</p> <p>Previous complaint – door button broken. Response: This has now been fixed.</p> <p>Previous complaint – room too far from the entrance. Response: Distance if fine, similar to other polling stations</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>

Polling District: BILG

POLLING PLACE		GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Firbeck Primary School, Firbeck Estate		Y	Y	Y	Y	Y	Y	Y	Y	Y
		BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
		Y	Y	Y	Y	N	Y	Y	2	Y

RETURNING OFFICERS COMMENTS	This venue meets the requirements of the review and is a suitable polling station location.
	No developments planned in the area.
	However an alternative building has been identified in this polling district to avoid a school closure (see below)
	PROPOSED CHANGE

Polling District: BILG – (ALTERNATIVE)

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Vale Community Centre, Wollaton Vale	Y	Y	Y	Y	Y	Y	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	2	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location. This is a perfect location used by many local residents.</p> <p>No developments planned in the area.</p> <p>Changing to this venue will stop the closure of a school.</p> <p>NEW PROPOSAL</p>
------------------------------------	---

BULWELL FOREST WARD

Polling District: BUFA

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Rise Park Primary and Nursery School, Bestwood Park Drive West	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	PROPPED OPEN	Y	N	Y	Y	2	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>Review Comment received: Suggest using the Rise Park Community Centre off Top Valley Drive as an alternative venue.</p> <p>Response: The community centre was visited and has a very steep ramp and is quite small inside</p> <p>No developments planned in the area.</p> <p>An alternative buildings has been identified in this polling district to avoid a school closure (see below)</p> <p>PROPOSED CHANGE</p>
------------------------------------	--

Polling District: BUFA - (ALTERNATIVE)

POLLING PLACE		GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Church on Rise Park Off Revelstoke Way		Y	Y	Y	Y	Y	N	N	Y	Y
		BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
		N UNEVEN SLABS – RAMP WITH GENTLE SLOPE	Y	Y	Y	N	Y	Y	2	N

RETURNING OFFICERS COMMENTS

This venue meets the requirements of the review and is a suitable polling station location. This is a perfect location used by many local residents and has parking available.

No developments planned in the area.

Changing to this venue will avoid the closure of a school.

NEW PROPOSAL

A post deadline submission was received requesting that the Rise Park Primary no longer be used, as children were unable to go to school, missed a days education and parents had to arrange childcare and meet the increased childcare costs. It was suggested that the community centre at Rise Park be used instead.

Polling District: BUFB

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Bulwell Forest Children's Centre, Cantrell Road	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	1	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location. The partition wall in between rooms to be opened so it will be one big room</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling District: BUFC & D

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Westglade Primary School Syke Road	Y	Y	Y	Y	Y	Y	Y	Y	Y
	BUILDING LEVEL ACCESS Y	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 2	LANDLINE AVAILABLE Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>However two alternative buildings have been identified in this polling district to avoid a school closure (see below)</p> <p>PROPOSED CHANGE</p>
------------------------------------	---

Polling District: BUFC (ALTERNATIVE)

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
	Top Valley Community Centre Unit 6 Top Valley Way	Y	Y	Y	Y	Y	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	2	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location. This is a good venue with plenty of space and near to the Tesco supermarket and easily accessible to majority of the electorate. There are 2 rooms available for use the main hall or a training room which is slightly smaller.</p> <p>Both rooms are on the 1st floor accessed by stairs and lift – the lift is reliable (however contingency arrangements will need to be in place should the lift not work on election day)</p> <p>No developments planned in the area.</p> <p>Changing to this venue will avoid the closure of a school.</p> <p>NEW PROPOSAL</p>
------------------------------------	--

Polling District: BUFD (ALTERNATIVE)

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
St Philips Church, Knights Close, off Horsham Drive	Y	Y	Y	Y	Y	Y	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	N	Y	Y	Y	N	Y	Y	2	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location. There is one step which will be removed and a slope put in. This venue is closer to the majority of electors in BUFD.</p> <p>Development planned at Bakewell Drive (25 dwellings). This will cause minor impact on this polling station</p> <p>Changing to this venue will avoid the closure of a school.</p> <p>NEW PROPOSAL</p>
------------------------------------	---

Polling District: BUFE

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
United Reformed Church Hall, Entrance on Brooklyn Road	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	1	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling District: BUFF

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Bulwell Library, Highbury Road	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	N RAMP	Y	Y AUTOMATIC	Y	N	Y	Y	1	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

BULWELL WARD

Polling District: BULA

POLLING PLACE		GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
St John's Church, Keys Close		Y	Y	Y	Y	Y	Y	N	N	Y
		BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
		N	Y	Y	Y	N	Y	Y	1	N
		RAMP WITH HANDRAIL9								

RETURNING OFFICERS COMMENTS
<p>This venue meets the requirements of the review and is a suitable polling station location. Parking nearby on the road for disabled people and staff.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>

Polling District: BULB

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
	Healthy Living Centre Lawton Drive	Y	Y	Y	Y	Y	N	Y	Y
BUILDING LEVEL ACCESS		DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	2	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling District: BULC

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Bulwell St Mary's C of E School, Ragdale Road	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	1	Y

<p>RETURNING OFFICERS COMMENTS</p>	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>WITH THE ABSENCE OF ANY ALTERNATIVE - THIS SCHOOL WILL BE CLOSED</p> <p>NO CHANGE REQUIRED</p>
---	--

Polling District: BULD

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Crabtree Farm Community Centre, Steadfold Close	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	1	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling District: BULE

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Hempshill Hall Primary School, Armstrong Road	Y	Y	Y	Y	N	Y	Y	Y	Y
	BUILDING LEVEL ACCESS Y	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 1	LANDLINE AVAILABLE Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>However an alternative building has been identified in this polling district to avoid a school closure (see below)</p> <p>PROPOSED CHANGE</p>
------------------------------------	--

Polling District: BULE (ALTERNATIVE)

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
		Y	Y	Y	Y	N	Y	N ONLY STREET PARKING	N ONLY STREET PARKING
Mariner Court Common Room Irwin Drive	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	1	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location. This is a good location but on the edge of the district. This venue may not be known to all electors so good signage will be required (maps will be printed on all polling cards)</p> <p>No developments planned in the area.</p> <p>Changing to this venue will avoid the closure of a school.</p> <p>NEW PROPOSAL</p>
------------------------------------	---

Polling District: BULF

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Snape Wood Primary School Nursery, Aspen Road	Y	Y	Y		Y	N	N	Y	Y
	BUILDING LEVEL ACCESS N SLIGHT LIP AT THE DOOR	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 1	LANDLINE AVAILABLE Y

<p>RETURNING OFFICERS COMMENTS</p>	<p>This venue meets the requirements of the review and is a suitable polling station location. The nursery unit is used which has separate access through another gate. The school will remain open to all other pupils. On street parking is available.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
---	---

Polling District: BULG

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Snape Wood Community Centre, Snape Wood Road	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	1	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

NOTTINGHAM SOUTH CONSTITUENCY

Review of Polling Districts and Polling Places
Checklist Evaluation Summary

Please note that all proposed changes are shaded in grey

BRIDGE WARD

Polling District: BRIA

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Riverside Primary School (Nursery), Ainsworth Drive	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	N	Y	Y	Y	N	Y	Y	1	Y
	RAMP AND HANDRAILS								

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>However an alternative buildings has been identified in this polling district to avoid a school closure (see below)</p> <p style="text-align: center;">PROPOSED CHANGE</p>
------------------------------------	---

Polling District: BRIA

POLLING PLACE		GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Clifton Welfare Social Club Ainsworth Drive		Y	Y	Y	Y	Y	Y	Y	Y	Y
		BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
		N RAMP AND HANDRAILS	Y	Y	Y	N	Y	Y	2	Y

RETURNING OFFICERS COMMENTS

This venue meets the requirements of the review and is a suitable polling station location. This is a perfect location with a very large room, used by many local residents and has parking available.

Review comment received: Suggest Clifton Miners Welfare, Ainsworth Drive as an alternative venue

No developments planned in the area.

Changing to this venue will avoid the closure of a school.

NEW PROPOSAL

Polling District: BRIB

POLLING PLACE		GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
The Studio, Nottingham Contemporary, Weekday Cross		Y	Y	N	Y	Y	Y	N	N	Y
		BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
		Y	Y	Y	Y					

RETURNING OFFICERS COMMENTS
<p>This venue meets the requirements of the review and is a suitable polling station location. The Studio Room is on the 1st floor down from the entrance and there is a lift available (there needs to be contingency arrangements in place should the lift not be available on polling day). Parking is on nearby street.</p> <p>Previous complaints – no daylight. Response: Good natural lighting in station.</p> <p>Previous complaints – noisy. Response: Quiet when inspection made</p> <p>Future developments planned are Low Pavement (24 dwellings), Woolpack Lane (24 dwellings), Lower Parliament Street (15 dwellings), Heathcoat Street (11 dwellings), High Pavement (10 dwellings), and 449 dwellings of student accommodation at Angel Row. This polling station is large enough to cope with these developments.</p> <p>Alternative venue at short notice is Loxley reception (as per by-election)</p> <p>NO CHANGE REQUIRED</p>

Polling district: BRIC

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Queens Walk Community Centre, Queens Walk	Y	Y	Y	Y	Y	Y	Y	Y	Y
	BUILDING LEVEL ACCESS N RAMP WITH HANDRAILS	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 1	LANDLINE AVAILABLE Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location. This venue is large enough to accommodate a split polling station if necessary.</p> <p>Poor lighting due to eight light bulbs missing – advised management to replace.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	--

Polling District: BRID

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Meadows Library, Wilford Grove	Y	Y	Y	Y	Y	N	N ON STREET PARKING	N ON STREET PARKING	Y
	BUILDING LEVEL ACCESS N RAMP WITH HANDRAILS	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 1	LANDLINE AVAILABLE Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>Review comment received: Suggest Saviour's Church Arkwright Walk as an alternative</p> <p>No developments planned in the area.</p> <p>This venue is well known to residents and has perfect facilities; the library is closed on Thursday so this causes no disruption. St Saviour's Church could be used as a replacement in the future if necessary.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling District: BRIE

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Meadows Youth Centre, Wilford Crescent East	Y	Y	Y	Y	Y	Y DISABLED ACCESS	N AVAILABLE ON STREET	Y ONLY 2 SPACES	Y
	BUILDING LEVEL ACCESS N RAMP AND HANDRAILS	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 2	LANDLINE AVAILABLE Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
--------------------------------	---

CLIFTON NORTH WARD

Polling District: CLNA

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Wilford Church Hall, Main Road	N	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	N RAMP	Y	Y	Y	N	Y	Y	1	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling District: CLNB

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH H ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Portable Unit at Maypole Public House car park, Wilford Lane	Y	Y	Y	Y	Y	Y	Y	Y	Y
	BUILDING LEVEL ACCESS N	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 1	LANDLINE AVAILABLE N

<p>RETURNING OFFICERS COMMENTS</p> <p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>Previous complaints – need alternative venue.</p> <p>Response: Maypole Pub does not have a suitable room. No other facilities in the area.</p> <p>Future developments at Clifton Lane (65 dwellings) and Ruddington Lane (107 dwellings) This will impact on the polling station, permanent facilities required as soon as possible</p> <p>New portable units are being sourced to provide more space and better facilities for both the electorate and staff.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED AT PRESENT</p>
--

Polling District: CLNC

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Silverdale Community Centre, The Downs	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS N RAMP	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 1	LANDLINE AVAILABLE Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling District: CLND

POLLING PLACE		GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Portable Unit at junction of Fleam Road and Meden Close		Y	Y	Y	Y	Y	N	Y AT THE SIDE OF THE ROAD	Y AT THE SIDE OF THE ROAD	Y
		BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
		Y	Y	Y	Y	N	Y	Y	1	N

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>Trent University (Clifton site) new building. Student Union not aware of anything on site that will be suitable at present but will know better in a few months after construction finished. Revisit NTU site in a year when construction is finished.</p> <p>Development planned on Clifton Campus (727 units). Significant effect on polling station.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED AT PRESENT</p>
------------------------------------	---

Polling District: CLNE

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
	School Sports Hall, Dovecote Primary School, Greencroft	Y	Y	Y	Y	Y	N	Y	Y
BUILDING LEVEL ACCESS		DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	2	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling district: CLNF

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Clifton Methodist Church Hall, Rivergreen	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	1	Y

<p>RETURNING OFFICERS COMMENTS</p>	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
---	---

Polling District: CLNG

POLLING PLACE		GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Charis Life Church Hall, Entrance from Farnborough Road		Y	Y	Y	Y	Y	N	Y	Y	Y
		BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
		Y	Y	Y	Y	Y	Y	Y	1	N

<p>RETURNING OFFICERS COMMENTS</p> <p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>Previous complaints – toilets need replacing. Response: Toilets fine but door handles need replacing.</p> <p>Previous complaints – floor divider trip hazard. Response: Strip slightly raised at entrance, needs additional screw, caretaker to fix this.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
--

CLIFTON SOUTH WARD

Polling District: CLSA

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Village Hall, Clifton Green	Y	Y	Y	Y	Y	Y	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	N RAMP AND HANDRAIL	Y	Y	Y					

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling district: CLSB

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Park Gates Community Centre, Chamberlain Close	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	1	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location. Polling station is easy to find and well signposted</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling district: CLSC

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Whitegate Primary School, Middlefell Way	Y	Y	Y	Y	Y	Y	Y	Y	Y
	BUILDING LEVEL ACCESS Y	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 2	LANDLINE AVAILABLE N

<p>RETURNING OFFICERS COMMENTS</p>	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>Review comment received: The governing body of Whitegate Primary School requested that they were no longer used as a polling station.</p> <p>Although there is a venue in this district it is the United Reform Church on the other side of the district away from the majority of the electorate. As this would cause too much inconvenience for the majority of the electorate I propose to retain this polling station.</p> <p>WITH THE ABSENCE OF ANY ALTERNATIVE OTHER THAN ABOVE - THIS SCHOOL WILL BE CLOSED</p> <p>NO CHANGE REQUIRED</p>
---	---

Polling district: CLSD

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Green Lane Youth and Community Centre, Green Lane	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	2	Y

<p>RETURNING OFFICERS COMMENTS</p>	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
---	---

Polling district: CLSE

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH WITH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Community Room adj. Blessed Robert Widmerpool School Listowel Crescent	Y	Y	Y	Y	N	Y	N	N	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	N RAMPS WITH HANDRAILS	Y	Y	Y	N	Y	Y	1	N/Y IN SCHOOL UNTIL CLOSING TIME

RETURNING OFFICERS COMMENTS	
	<p>This venue meets the requirements of the review and is a suitable polling station location. Better signage is required to direct electors from the Milford School to the new venue.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>

Polling District: CLSF

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Highbank Community Centre, Farnborough Road	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	1	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling District CLSG

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Highbank Primary School, Winscombe Mount	Y	Y	Y	N SLOPE	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	2	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district. However the polling districts of CLSF & CLSG could be merged and all electors could vote at the Highbank Community Centre instead. This is not necessary if Council agree not to make any boundary changes. WITH THE ABSENCE OF ANY ALTERNATIVE OTHER THAN ABOVE - THIS SCHOOL WILL BE CLOSED</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

DUNKIRK AND LENTON WARD

Polling District: DUNA

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
	The Lenton Centre, Willoughby Street	Y	Y	Y	Y	Y	N	Y	Y
BUILDING LEVEL ACCESS		DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
N RAMP		Y	Y	Y	N	Y	Y	2	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Poling District DUNB

POLLING PLACE		GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Monty Hind Training Centre, Leen Gate		Y	Y	Y	Y	Y	N	Y	Y	Y
		BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
		Y	Y	Y	Y	N	Y	Y	1	Y

RETURNING OFFICERS COMMENTS

This venue meets the requirements of the review and is a suitable polling station location. Although a little run down this polling station has been used for many years and is well known to electors.

Review comment received: The centre is a bit run down.

No developments planned in the area.

No alternative buildings were identified in this polling district.

NO CHANGE REQUIRED

Polling District: DUNC

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Ace Base at Nottingham Tennis Centre, University Boulevard	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS Y	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW 1	LANDLINE AVAILABLE Y

RETURNING OFFICERS COMMENTS	<p>This venue was only used as a replacement whilst the Dunkirk & Lenton Community Centre was being refurbished. (see below)</p> <p>No developments planned in the area.</p> <p>PROPOSED CHANGE</p>
------------------------------------	--

Polling District: DUNC

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Dunkirk and Old Lenton Community Centre Montpelier Road	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y RANMP WITH HANDRAIL	Y	Y	Y		Y		1	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location. The centre has been fully re-furnished and re-opens in September</p> <p>No developments planned in the area.</p> <p>Ace base to be used as a replacement if necessary.</p> <p>NEW PROPOSAL</p>
------------------------------------	--

LEEN VALLEY WARD

Polling District: LEEA

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
	St Teresa's Church Hall, Kingsbury Drive	Y	Y	Y	Y	N	Y	Y	Y
BUILDING LEVEL ACCESS		DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
N RAMP AND HANDRAIL		Y	Y	Y	N	Y	Y	2	N

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>Proposed development at Beechdale Road (20 dwellings). This will have little impact on the electorate at this polling station.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling District: LEEB

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Portable Unit at Beechdale Baths	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS N	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 1	LANDLINE AVAILABLE N

<p>RETURNING OFFICERS COMMENTS</p>	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>Development planned at Beechdale Road (40 dwellings). This may be a problem at this polling station if it remains in a portable unit.</p> <p>New portable units are being sourced to provide more space and better facilities for both the electorate and staff.</p> <p>NO CHANGE REQUIRED</p>
---	---

Polling District: LEEC

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
	Lutheran Church Hall, Homefield Road	Y	Y	Y	Y	Y	N	Y	Y
BUILDING LEVEL ACCESS		DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	2	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>Review comment received: Suggest using The Vine Community Centre Ltd, Bobbersmill Road as an alternative</p> <p>Response: As the current venue is perfectly suitable there is no reason to change to the above at present.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling District: LEED

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
	Portable Unit at Robert Shaw Primary School, Southfield Road	Y	Y	Y	Y	Y	Y	Y	Y
BUILDING LEVEL ACCESS		DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	N	Y	Y	Y	N	Y	Y	1	N

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>New portable units are being sourced to provide more space and better facilities for both the electorate and staff.</p> <p>The unit was problematic to site but the only other alternative would be to close the school.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling District: LEEE

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Radford Children's Centre, Southwood Primary School, Kennington Road	Y	Y	Y	Y	Y	Y	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	1	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

RADFORD AND PARK WARD

Polling District RPAA

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Radford Care Group, 25-31 Prospect Street				Y	Y	Y		Y	NOT IN CAR PARK
	BUILDING LEVEL ACCESS N RAMP AND HANDRAILS	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 1	LANDLINE AVAILABLE Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling District: RPAB

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Methodist Church Hall, Forster Street	Y	Y	PRIVATELY OWNED	Y	Y	N	N ONLY STREET PARKING	N ONLY STREET PARKING	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	N RAMP WITH GENTLE SLOPE	Y	DOUBLE DOORS TO BE LOCKED BACK	Y	N	Y		2	

<p>RETURNING OFFICERS COMMENTS</p>	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
---	---

Polling District: RPAC

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH H ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
John Carroll Community Centre, Denman Street	Y	Y	Y	Y	Y	Y	Y	Y	Y
	BUILDING LEVEL ACCESS N RAMPS WITH HANDRAILS	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 2	LANDLINE AVAILABLE Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling District: RPAD

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Radford/Lenton Branch Library, Lenton Boulevard	Y		Y	Y/N SLIGHT LIP ON ONE SIDE OF DRIVE	Y	Y	N ONLY STREET PARKING	N ONLY STREET PARKING	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	2	Y

<p>RETURNING OFFICERS COMMENTS</p>	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
---	---

Polling District: RPAE

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Childrens Resources Centre, Garden Street	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	1	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>Previous complaint – room small. Room acceptable with a desk at the door with the booths inside but no more than 4 booths.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling District: RPAF

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
St Barnabas Cathedral Hall, Entrance through car park, North Circus Street	Y	Y	PRIVATELY OWNED	Y	N	Y	N	N	Y/N
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	N	Y	Y	Y	N	Y	Y	2	Y Emergency only

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location. Limited external lighting, entrance doors need extra lights. Some internal lights is being repaired. Slope to building entrance (Only street parking with meters)</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

WOLLATON EAST AND LENTON ABBEY WARD

Polling District: WLAA

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
	Drama Block, Nottingham Bluecoat School, Sutton Passeys Crescent	Y	Y	Y	Y	Y	N	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	1	Y IN MAIN SCHOOL

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling District: WLAB

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
	St Mary's Church Hall, Wollaton Park	Y	Y	Y	Y	Y	N	Y	Y
BUILDING LEVEL ACCESS		DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	N RAMP	Y	Y	Y	N	Y	Y	2	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling District: WLAC

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
The Atrium, Portland Building, University of Nottingham Campus	Y	Y	Y	Y	Y	Y	Y LIMITED	Y LIMITED	Y
	BUILDING LEVEL ACCESS Y	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 2	LANDLINE AVAILABLE Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location. Two entrances one door slight slope or through main doors and steps onto 1st floor.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	--

Polling District: WLAD

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Sheila Roper Centre (Neighbourhood Centre), Baslow Drive	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	Y	Y	Y	2	N

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>Previous complaints – step at the doorway.</p> <p>Response: Yes small step is still there. A portable ramp will be supplied for use at elections.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	--

Polling District: WLAE

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
The Boundary Community Centre, Boundary Road/Wensor Avenue	Y	Y	Y	N DOWN A SLOPE	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS Y	DISABLED ACCESS DOOR Y	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 1	LANDLINE AVAILABLE Y

<p>RETURNING OFFICERS COMMENTS</p>	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
---	---

WOLLATON WEST WARD

Polling District: WOWA

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Wollaton Library, Bramcote Lane	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS N RAMP AND HANDRAILS	DISABLED ACCESS DOOR Y Three sets of doors all 800+	ACCESS DOOR LIGHTWEIGHT Y	SPACE FOR SIGNAGE Y	STEP OR FLOOR HAZARDS N	TOILET FACILITIES Y	ADEQUATE INTERNAL LIGHTING Y	NO. OF STATIONS SIZE WILL ALLOW 1	LANDLINE AVAILABLE Y

<p>RETURNING OFFICERS COMMENTS</p> <p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>	
---	--

Polling District: WOWB

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
	Kingswood Methodist Church Hall, Lambourne Drive	Y	Y	Y	Y	Y	N	Y	Y
BUILDING LEVEL ACCESS		DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	1	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling District: WOWC

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Wollaton Park Community Centre, Harrow Road	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	2	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling District: WOWD

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
Wollaton Childrens Centre, Arleston Drive	Y	Y	Y	Y	Y	N	Y	Y	Y
	BUILDING LEVEL ACCESS	DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	1	Y

RETURNING OFFICERS COMMENTS	<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>
------------------------------------	---

Polling District: WOVE

POLLING PLACE	GOOD TRANSPORT	AVAILABLE	AVAILABLE FOR UNSCHEDULED	LEVEL APPROACH ACCESS	BUILDING IDENTITY CLEAR	NEED EXTRA SIGNAGE	DISABLED PARKING	STAFF PARKING	EXTERNAL LIGHTING
	Grangewood Methodist Church Hall, Wollaton Vale	Y	Y	Y	Y	Y	N	Y	Y
BUILDING LEVEL ACCESS		DISABLED ACCESS DOOR	ACCESS DOOR LIGHTWEIGHT	SPACE FOR SIGNAGE	STEP OR FLOOR HAZARDS	TOILET FACILITIES	ADEQUATE INTERNAL LIGHTING	NO. OF STATIONS SIZE WILL ALLOW	LANDLINE AVAILABLE
	Y	Y	Y	Y	N	Y	Y	2	Y

RETURNING OFFICERS COMMENTS
<p>This venue meets the requirements of the review and is a suitable polling station location.</p> <p>No developments planned in the area.</p> <p>No alternative buildings were identified in this polling district.</p> <p>NO CHANGE REQUIRED</p>