



Ward Health Profile

Bulwell Ward | 16,157 Ward Residents in 2011

Quick Statistics


- Bulwell has a total of **16,157** residents
- 7,669** are male (**47%**) and **8,488** are female (**53%**)
- There were **264** babies born in 2012
- The birth rate was **66** per 1,000 women (aged 11-44), higher than Nottingham City average (53)
- 36%** of all adults in Bulwell smoke, the second highest within Nottingham City
- 57%** of all adults are estimated to be overweight/obese, the 4th highest within Nottingham City
- GCSE Achievement is significantly worse than nationally
- There were **159** deaths of Bulwell residents during 2012
- Life expectancy for males is **74.1 years** which is significantly worse than the national figure
- Life expectancy for females is **78.9 years**
- Bulwell is ranked as the **179th** most deprived ward in England, out of its 7,589 wards
- There are **5** GP practices within Bulwell, with an additional **3** in close proximity to its border
- There are **5** pharmacies within Aspley

Ward Map




Bulwell is approximately 4.5 miles northwest of Nottingham city centre, on the northern edge of the city.

Deprivation




- Income deprivation** is the percentage of residents living in households reliant on means tested benefit
- Child poverty** is the percentage of children (0-15) living in income deprived households
- Older people in deprivation** is the percentage of residents aged 60+ living in pension credit households

Population



Bulwell has a higher percentage of children who are under the age of 16. These younger residents account for almost a quarter (**23.5%**) of the ward population. This is compared with **18.3%** for Nottingham City and **18.9%** nationally.


Self Reported Health & Care



Despite a relatively young population, Bulwell residents feel that they have poorer health than that of the City as a whole and nationally. Bulwell is significantly worse than nationally on both general health and limiting long term illness/disability.

Residents also feel that they provide higher levels of unpaid care compared to the city and nationally. This is significantly higher than nationally.

Mosaic Groups



Mosaic groups are a way of segmenting the population into 15 groups based on their common characteristics.

Just under half (**48.3%**) of residents in Bulwell belong to group 'O'. This group is described as "**Families in low-rise social housing with high levels of benefit need**". The key features of group 'O' are; disadvantaged, low incomes, unemployment, long term illness, low rise council housing, one parent families, high TV watching and dependence on the state.

Nottingham Citizens' Surveys 2011-2013 Health Questions

The Nottingham Citizens' Survey gathers citizens' perceptions on a variety of subjects including health. Around 2,000 citizens take part in the survey each year. The chart below shows health results from the combined 2011-2013 surveys and how Bulwell compares with the rest of the City wards.

- Significantly lower than the City average
- Significantly higher than the City average

Not significantly different from the City average



Indicator	Ward Value	City Ward Avg	City Lowest Ward	City Ward Range	City Highest Ward
1 Average mental wellbeing score of residents (WEMWEBS)	50.3	51.2	49.1		52.3
2 % of residents who smoke	36.3	27.5	8.4		36.5
3 % of residents who are binge drinkers	15.9	21.6	10.3		35.4
4 % of residents who are high/increased risk drinkers	5.7	11.7	3.2		16.8
5 % of residents who are underweight	2.2	3.7	1.3		5.7
6 % of residents who are overweight/obese	57.3	47.3	25.5		60.7
7 % of residents who are a healthy weight	40.4	48.9	36.2		71.4

Bulwell has a significantly high percentage of residents who smoke, and residents who are overweight/obese. The ward does have significantly lower percentage of residents who are high/increased risk drinkers, and a lower percentage of binge drinkers.

Each ward indicator result is shown as a circle. The average value for Nottingham's wards are shown by the black line, which is always at the centre of the chart. If a circle is to the right of the black line then the ward's value is higher, if it is to the left of the black line the value is lower.

The range of results for all wards within Nottingham City are shown as a grey bar. A yellow circle means that the ward's value is significantly higher than the City's average, a purple circle indicates that their value is significantly lower. A white circle indicates that even though a value may be higher/lower than the City's average; it is not statistically significant so.

Public Health England, Local Health Indicators


This chart shows Bulwell's status compared to all of the wards in England, and the England average as the central black line. Of the 24 indicators, 19 are significantly worse than England's average, and most worse than the City average. Poverty, deprivation, unemployment, educational attainment, obesity, general health and life expectancy for males are amongst some of those that are significantly worse than England.



Indicator	Ward Value	Eng. Ward Avg	Eng. Lowest Ward	England Ward Range	Eng. Highest Ward
1 Income Deprivation (%)	30.5	14.7	1.1	[Bar chart showing range]	49.8
2 Child Poverty (%)	45.1	21.8	1.0	[Bar chart showing range]	79.8
3 Unemployment (%)	10.5	3.8	0.3	[Bar chart showing range]	16.7
4 Long Term Unemployment (Rate/1,000 working age population)	37.3	10.1	0.0	[Bar chart showing range]	68.2
5 Overcrowding (%)	8.8	8.7	0.2	[Bar chart showing range]	47.7
6 Provision of 50 hours or more unpaid care per week (%)	2.8	2.4	0.0	[Bar chart showing range]	7.9
7 Pensioners living alone (%)	41.6	31.5	11.4	[Bar chart showing range]	63.3
8 Older People in Deprivation (%)	33.9	18.1	2.1	[Bar chart showing range]	82.1
9 Child Development at age 5 (%)	58.0	63.5	19.1	[Bar chart showing range]	95.0
10 GCSE Achievement (5A*-C inc. Eng & Maths) (%)	43.1	58.8	21.0	[Bar chart showing range]	100.0
11 Obese Children (Reception Year) (%)	10.6	9.4	2.1	[Bar chart showing range]	23.6
12 Obese Children (Year 6) (%)	22.5	19.1	4.0	[Bar chart showing range]	36.0
13 Low Birth Weight Births (%)	9.4	7.4	1.4	[Bar chart showing range]	13.8
14 General Health - bad or very bad (%)	8.4	5.5	0.0	[Bar chart showing range]	16.7
15 Limiting long term illness or disability (%)	22.2	17.6	2.2	[Bar chart showing range]	41.5
16 Children's and young people's admissions for injury (Crude rate/100,000 aged 0-17)	1250.5	1180.9	412.7	[Bar chart showing range]	2647.8
17 Emergency hospital admissions for all causes (SAR)	134.6	100.0	27.2	[Bar chart showing range]	224.9
18 Incidence of all cancer (SIR)	120.3	100.0	47.8	[Bar chart showing range]	146.6
19 Hospital stays for self harm (SAR)	200.1	100.0	12.3	[Bar chart showing range]	464.3
20 Hospital stays for alcohol related harm (SAR)	149.5	100.0	37.2	[Bar chart showing range]	296.2
21 Life expectancy at birth for males (years)	74.1	78.9	67.1	[Bar chart showing range]	91.3
22 Life expectancy at birth for females (years)	78.9	82.8	73.9	[Bar chart showing range]	98.4
23 Deaths from all causes, all ages (SMR)	138.2	100.0	19.9	[Bar chart showing range]	279.2
24 Deaths from all causes, under 75 years (SMR)	160.8	100.0	0.0	[Bar chart showing range]	286.1


Disease prevalence

As part of the performance management and payment system for GPs (called QoF), GPs keep a record of people with specific diseases such as diabetes, heart disease (CHD), respiratory disease (COPD) and depression. These registers are used to calculate recorded disease prevalence. The data below are taken from QoF 2012/2013. It is important to understand that these figures may be under estimates due to people not presenting to their GP, not being diagnosed or not being recorded.




Diabetes - Type 2 diabetes (the most common type) and obesity are clearly connected – being overweight or obese has been estimated to account for around 65% to 80% of new cases of Type 2 diabetes. The Citizens Survey findings indicate that Bulwell has a high percentage of overweight and obese residents and so would be expected to have high prevalence of diabetes. Diabetes is linked to many health complications such as heart disease, eye problems, kidney disease and problems with circulation so it is important that it is diagnosed early and managed.

2 of the practices within the Bulwell area have significantly higher recorded prevalence than the England average; 'Dr. Mc Jones & Partners' **7.8%** prevalence and 'Leen Valley Surgery' **7.5%** prevalence.




CHD Indicator - Coronary heart disease (CHD) is caused by a build-up of fatty deposits on the walls of the arteries around the heart (coronary arteries). Risk is significantly increased if you smoke, have high blood pressure (hypertension), have a high blood cholesterol level, do not take regular exercise, have diabetes, or are overweight/obese.

2 of the practices within the Bulwell area have significantly higher recorded prevalence than the England average; 'Dr. Mc Jones & Partners' **4.3%** prevalence and 'Leen View Surgery' **4.1%** prevalence.



COPD (respiratory disease) Indicator - COPD is the name for a collection of lung diseases including chronic bronchitis, emphysema and chronic obstructive airways disease. People with COPD have difficulties breathing, primarily due to the narrowing of their airways, this is called airflow obstruction. Smoking is the main cause of COPD. At least four out of five people who develop the disease are, or have been, smokers. Citizens' Survey results show Bulwell as having a high percentage of smokers so we would expect COPD prevalence to be high.

2 of the practices within the Bulwell area have significantly higher recorded prevalence than the England average; 'Leen View Surgery' **2.8%** prevalence and 'St Albans Medical Centre' **2.4%** prevalence.



Severe Mental Illness - The register includes all patients with a diagnosis of schizophrenia, bipolar affective disorder and other psychoses. Mental illness can result in high levels of disability, loss of quality of life for patients, their families and carers.

2 of the practices within the Bulwell area have significantly higher recorded prevalence than the England average; 'Springfield Medical Centre' **1.4%** prevalence and 'Riverlyn Medical Centre' **1.3%** prevalence.

Metadata and contact information

Contact | This ward profile has been prepared by Nottingham City Council's Public Health department which is part of the Early Intervention directorate. To contact the team please email: publichealth.analysts@nottinghamcity.gov.uk

Metadata | This ward profile uses a wide variety of data from numerous sources such as the 2011 Census, Nottingham City Council Citizen's Panel 2011-2013, Public Health England's Local Health Portal, Hospital Episode Statistics (HES) Data and Mosaic by Experian. A complete guide to all of the data and sources can be found here:

<http://www.nottinghaminsight.org.uk/f/96676/Library/Public-Health/>